



BAROSSA INFRASTRUCTURE LTD
ATTN: Paul Shanks
PO Box 665
TANUNDA
SA 5352 AUSTRALIA

24/12/2018

Dear Paul

Please find attached the Final Analytical Report for

Customer Service Request: 122622-2018-CSR-1
Account: 122622
Project: AWQC-131631 Barossa Infrastructure Ltd - Routine 18/19

This report has also been sent to: Patsy Biscoe Neville Skipworth

AWQC Sample Receipt hours are Monday and Tuesday 8:30am to 8pm and Wednesday, Thursday and Friday 8:30am to 4:30pm.

Yours sincerely,

Melanie Bolton
Supervisor Customer Services
Melanie.Bolton@sawater.com.au
+61 8 7424 2057





FINAL REPORT: 241775

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 240858

Report Information

Project Name	AWQC-131631
Customer	BAROSSA INFRASTRUCTURE LTD
CSR_ID	122622-2018-CSR-1

Analytical Results

Sampling Point	84513-Barossa Infrastructure Ltd - Fromms Square Williamstown
Sampled Date	7/12/2018 7:42:48AM
Sample Received Date	7/12/2018 7:42:48AM
Sample Analysis Completed	17/12/2018 7:00:16PM
Sample ID	2018-009-0847
Status	Endorsed
GuidelineType	ECOLI
Collection Type	AWQC Collected

Bacteriology LOR Result

Sample temperature at time of receipt NA

E.coli & Thermotolerant Coliforms T0081-01 WMZ-500(ADEL)

E.coli	^ 110961	10 cfu/100mL
Thermotolerant Coliforms		12 cfu/100mL

Inorganic Chemistry - Metals LOR Result

Sample temperature at time of receipt NA

Arsenic - Total TIC-006 W09-023(ADEL)

Arsenic - Total	0.0003	0.0007 mg/L
-----------------	--------	-------------

Boron - Soluble TIC-006 W09-023(ADEL)

Boron - Soluble	0.020	0.032 mg/L
-----------------	-------	------------

Cadmium - Total TIC-006 W09-023(ADEL)

Cadmium - Total	0.0001	<0.0001 mg/L
-----------------	--------	--------------

Calcium TIC-004 W09-023(ADEL)

Calcium	0.1	10.4 mg/L
---------	-----	-----------

Chromium - Total TIC-006 W09-023(ADEL)

Chromium - Total	0.0001	0.0019 mg/L
------------------	--------	-------------

Iron - Total TIC-006 W09-023(ADEL)

Iron - Total	0.0005	2.119 mg/L
--------------	--------	------------

Lead - Total TIC-006 W09-023(ADEL)

Lead - Total	0.0001	0.0011 mg/L
--------------	--------	-------------

Magnesium TIC-004 W09-023(ADEL)

Magnesium	0.05	8.60 mg/L
-----------	------	-----------

Manganese - Total TIC-006 W09-023(ADEL)

Manganese - Total	0.0001	0.0388 mg/L
-------------------	--------	-------------

Potassium TIC-004 W09-023(ADEL)

Potassium	0.05	2.90 mg/L
-----------	------	-----------



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

- The last figure of the result value is a significant figure.
- # determination of the component is not covered by NATA Accreditation.
- ^ indicates result is out of specification according to the reference guideline. Refer to report footer.
- * indicates an incident has been recorded against the sample. Refer to report footer.
- & indicates the results have changed since the last issued report.
- The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
- Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
- Where applicable the [Measurement of Uncertainty](https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty) is available at <https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty>.
- If pH has been tested then the pH will be outside of its holding time unless measured in the field.
- (ADEL) indicates analysed in Adelaide, (MELB) indicates analysed in Melbourne.



FINAL REPORT: 241775

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 240858

Analytical Results

Sampling Point	84513-Barossa Infrastructure Ltd - Fromms Square Williamstown
Sampled Date	7/12/2018 7:42:48AM
Sample Received Date	7/12/2018 7:42:48AM
Sample Analysis Completed	17/12/2018 7:00:16PM
Sample ID	2018-009-0847
Status	Endorsed
GuidelineType	ECOLI
Collection Type	AWQC Collected

Sodium Adsorption Ratio W09-023(ADEL)

Sodium Adsorption Ratio - Calculation 2.81

Sodium TIC-004 W09-023(ADEL)

Sodium 0.1 50.5 mg/L

Sulphur TIC-004 W09-023(ADEL)

Sulphate 1.5 17.7 mg/L

Sulphur 0.5 5.9 mg/L

Total Hardness as CaCO3 W09-023(ADEL)

Total Hardness as CaCO3 2.0 61 mg/L

Zinc - Total TIC-006 W09-023(ADEL)

Zinc - Total 0.0003 0.0106 mg/L

Inorganic Chemistry - Nutrients LOR Result

Sample temperature at time of receipt NA

Chloride T0104-02 W09-023(ADEL)

Chloride 4.0 76 mg/L

Nitrate + Nitrite as N T0161-01 W09-023(ADEL)

Nitrate + Nitrite as N 0.003 0.162 mg/L

Nitrogen - Total TMZ-M06 W09-023(ADEL)

Nitrogen - Total 0.74 mg/L

Phosphorus - Total T0109-01 W09-023(ADEL)

Phosphorus - Total 0.005 0.063 mg/L

TKN as N T0112-01 W09-023(ADEL)

TKN as Nitrogen 0.05 0.58 mg/L

Inorganic Chemistry - Physical LOR Result

Sample temperature at time of receipt NA

Conductivity & Total Dissolved Solids T0016-01 W09-023(ADEL)

Conductivity 2 408 µS/cm

Total Dissolved Solids (by EC) 1 220 mg/L

pH T0010-01 W09-023(ADEL)

pH 7.4 pH units



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

1. The last figure of the result value is a significant figure.
2. # determination of the component is not covered by NATA Accreditation.
3. ^ indicates result is out of specification according to the reference guideline. Refer to report footer.
4. * indicates an incident has been recorded against the sample. Refer to report footer.
5. & indicates the results have changed since the last issued report.
6. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
7. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
8. Where applicable the [Measurement of Uncertainty](https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty) is available at <https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty>.
9. If pH has been tested then the pH will be outside of its holding time unless measured in the field.
10. (ADEL) indicates analysed in Adelaide, (MELB) indicates analysed in Melbourne.



FINAL REPORT: 241775

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 240858

Analytical Results

Sampling Point	84513-Barossa Infrastructure Ltd - Fromms Square Williamstown
Sampled Date	7/12/2018 7:42:48AM
Sample Received Date	7/12/2018 7:42:48AM
Sample Analysis Completed	17/12/2018 7:00:16PM
Sample ID	2018-009-0847
Status	Endorsed
GuidelineType	ECOLI
Collection Type	AWQC Collected

pH T0010-01 W09-023(ADEL)

Temperature at which pH is measured 23.5 °C

Turbidity T0018-01 W09-023(ADEL)

Turbidity 0.1 32 NTU



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

1. The last figure of the result value is a significant figure.
2. # determination of the component is not covered by NATA Accreditation.
3. ^ indicates result is out of specification according to the reference guideline. Refer to report footer.
4. * indicates an incident has been recorded against the sample. Refer to report footer.
5. & indicates the results have changed since the last issued report.
6. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
7. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
8. Where applicable the [Measurement of Uncertainty](https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty) is available at <https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty>.
9. If pH has been tested then the pH will be outside of its holding time unless measured in the field.
10. (ADEL) indicates analysed in Adelaide, (MELB) indicates analysed in Melbourne.



FINAL REPORT: 241775

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 240858

AWQC Signatories

Mira Banasiak - Supervisor Bacteriology

Kerrie Davey - Supervisor Nutrients and Waste

Thuy Diep - Technical Officer Chemistry

David Evans - Technical Officer Chemistry

Andrew Ford - Technical Officer Chemistry

Aji John - Technical Officer Chemistry

Andrew Kay - Technical Officer Chemistry

Melissa Phillips - Technical Officer Chemistry

Gayle Polley - Snr Technical Officer



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

1. The last figure of the result value is a significant figure.
2. # determination of the component is not covered by NATA Accreditation.
3. ^ indicates result is out of specification according to the reference guideline. Refer to report footer.
4. * indicates an incident has been recorded against the sample. Refer to report footer.
5. & indicates the results have changed since the last issued report.
6. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
7. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
8. Where applicable the [Measurement of Uncertainty](https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty) is available at <https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty>.
9. If pH has been tested then the pH will be outside of its holding time unless measured in the field.
10. (ADEL) indicates analysed in Adelaide, (MELB) indicates analysed in Melbourne.

FINAL REPORT: 241775

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 240858

Guidelines

ECOLI	Ecoli	Minimum Value	Maximum Value	Units
Guideline Version:2				
Health1				
110960, 110961, 110963, 110964, 120464, 120465, 120466, 120468, 120469, 122450 122436, 122437	E.coli	-	0	cfu/100mL
	E.coli/F Coliforms - Presumptive	-	0	cfu/100mL
Primary Contact				
110965, 110967, 110968, 110970, 110972, 120470, 120471, 120472, 120475, 120476 110969, 110971, 110973, 110974, 120473, 120474	E.coli	-	150	MPN/100mL
	Faecal coliforms	-	150	cfu/100mL

Analytical Method

Analytical Method Code	Description	Reference Method
T0010-01	Determination of pH	AP4500HB
T0016-01	Determination of Conductivity - Corrected to 25C	AP2510B
T0018-01	Turbidity - Nephelometric Measurement	APAWWA-WEF
T0081-01	E.Coli - Membrane filtration	USEPA1604_1H
T0104-02	Chloride - Discrete Analyser	AP4500CLE
T0109-01	Phosphorus - total by discrete analyser	AP4500PF
T0112-01	Nitrogen- Total Kjeldahl by discrete analyser	AP4500NORGA
T0161-01	Nitrate + Nitrate (NOx) - Automated Flow Colorimetry	AP4500NO3I
TIC-004	Determination of Metals - ICP Spectrometry by ICP2	AP3120
TIC-006	Elemental Analysis By ICP- MS	EPA200.8
TMZ-M06	Derived Results and Data Checks	AP4500NORGA
W-052	Preparation of Samples for Metal Analysis	AP3030AD

Sampling Method

Sampling Method Code	Description
W09-023	Sampling Method for Chemical Analyses
WMZ-500	Sampling Method for Microbiological Analyses

When samples are taken by customers, samples are analysed as received.



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

- The last figure of the result value is a significant figure.
- # determination of the component is not covered by NATA Accreditation.
- ^ indicates result is out of specification according to the reference guideline. Refer to report footer.
- * indicates an incident has been recorded against the sample. Refer to report footer.
- & indicates the results have changed since the last issued report.
- The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
- Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
- Where applicable the [Measurement of Uncertainty](https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty) is available at <https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty>.
- If pH has been tested then the pH will be outside of its holding time unless measured in the field.
- (ADEL) indicates analysed in Adelaide, (MELB) indicates analysed in Melbourne.



FINAL REPORT: 241775

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 240858

Laboratory Information

Laboratory	NATA accreditation ID
Inorganic Chemistry - Physical	1115
Inorganic Chemistry - Nutrients	1115
Bacteriology	1115
Inorganic Chemistry - Metals	1115



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

1. The last figure of the result value is a significant figure.
2. # determination of the component is not covered by NATA Accreditation.
3. ^ indicates result is out of specification according to the reference guideline. Refer to report footer.
4. * indicates an incident has been recorded against the sample. Refer to report footer.
5. & indicates the results have changed since the last issued report.
6. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
7. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
8. Where applicable the [Measurement of Uncertainty](https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty) is available at <https://www.awqc.com.au/our-services/analytical-services/measurement-uncertainty>.
9. If pH has been tested then the pH will be outside of its holding time unless measured in the field.
10. (ADEL) indicates analysed in Adelaide, (MELB) indicates analysed in Melbourne.