

FINAL REPORT: 197507

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 196854

Report Information

Project Name	AWQC-110812
Customer	BAROSSA INFRASTRUCTURE LTD
CSR_ID	122622-2016-CSR-1

Analytical Results

Customer Sample Description	BIL connection point
Sampling Point	84513-Barossa Infrastructure Ltd - Fromms Square Williamstown
Sampled Date	13/01/2017 8:00:50AM
Sample Received Date	13/01/2017 8:00:51AM
Sample ID	2016-008-7697
Status	Endorsed
GuidelineType	ECOLI
Collection Type	AWQC Collected

Bacteriology	LOR	Result
--------------	-----	--------

Sample temperature at time of receipt NA**E.coli & Thermotolerant Coliforms T0081-01 WMZ-500**

E.coli	^ 110961	5 cfu/100mL
Thermotolerant Coliforms		5 cfu/100mL

Inorganic Chemistry - Metals	LOR	Result
------------------------------	-----	--------

Sample temperature at time of receipt NA**Arsenic - Total TIC-006 W09-023**

Arsenic - Total	0.0003	0.0015 mg/L
-----------------	--------	-------------

Boron - Soluble TIC-006 W09-023

Boron - Soluble	0.020	0.028 mg/L
-----------------	-------	------------

Cadmium - Total TIC-006 W09-023

Cadmium - Total	0.0001	<0.0001 mg/L
-----------------	--------	--------------

Calcium TIC-004 W09-023

Calcium	0.1	12.1 mg/L
---------	-----	-----------

Chromium - Total TIC-006 W09-023

Chromium - Total	0.0001	0.0026 mg/L
------------------	--------	-------------

Iron - Total TIC-006 W09-023

Iron - Total	0.0005	3.533 mg/L
--------------	--------	------------

Lead - Total TIC-006 W09-023

Lead - Total	0.0001	0.0016 mg/L
--------------	--------	-------------

Magnesium TIC-004 W09-023

Magnesium	0.05	10.1 mg/L
-----------	------	-----------

Manganese - Total TIC-006 W09-023

Manganese - Total	0.0001	0.4405 mg/L
-------------------	--------	-------------

Potassium TIC-004 W09-023

Potassium	0.05	2.72 mg/L
-----------	------	-----------



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

1. The last figure of the result value is a significant figure.
2. Samples are analysed as received.
3. # determination of the component is not covered by NATA Accreditation.
4. ^ indicates result is out of specification according to the reference Guideline. Refer to Report footer.
5. * Indicates incident have been recorded against the sample. Refer to Report footer.
6. & Indicates the results have changed since the last issued report.
7. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
8. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
9. Where applicable Measurement of Uncertainty is available upon request

FINAL REPORT: 197507

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 196854

Analytical Results

Customer Sample Description	BIL connection point
Sampling Point	84513-Barossa Infrastructure Ltd - Fromms Square Williamstown
Sampled Date	13/01/2017 8:00:50AM
Sample Received Date	13/01/2017 8:00:51AM
Sample ID	2016-008-7697
Status	Endorsed
GuidelineType	ECOLI
Collection Type	AWQC Collected

Sodium Adsorption Ratio W09-023

Sodium Adsorption Ratio - Calculation	2.50
---------------------------------------	------

Sodium TIC-004 W09-023

Sodium	0.1	48.7 mg/L
--------	-----	-----------

Sulphur TIC-004 W09-023

Sulphate	1.5	13.8 mg/L
----------	-----	-----------

Total Hardness as CaCO3 W09-023

Total Hardness as CaCO3	2.0	72 mg/L
-------------------------	-----	---------

Zinc - Total TIC-006 W09-023

Zinc - Total	0.0003	0.0066 mg/L
--------------	--------	-------------

Inorganic Chemistry - Nutrients

Sample temperature at time of receipt NA

Chloride T0104-02 W09-023

Chloride	4.0	92 mg/L
----------	-----	---------

Nitrate + Nitrite as N T0161-01 W09-023

Nitrate + Nitrite as N	0.003	<0.003 mg/L
------------------------	-------	-------------

Nitrogen - Total W09-023

Nitrogen - Total	0.06	1.23 mg/L
------------------	------	-----------

Phosphorus - Total T0109-01 W09-023

Phosphorus - Total	0.005	0.173 mg/L
--------------------	-------	------------

TKN as N T0112-01 W09-023

TKN as Nitrogen	0.05	1.23 mg/L
-----------------	------	-----------

Inorganic Chemistry - Physical

Sample temperature at time of receipt NA

Conductivity & Total Dissolved Solids T0016-01 W09-023

Conductivity	1	457 µScm
Total Dissolved Solids (by EC)	1.0	250 mg/L

pH T0010-01 W09-023

pH	7.4	pH units
----	-----	----------

Turbidity T0018-01 W09-023



Notes

1. The last figure of the result value is a significant figure.
2. Samples are analysed as received.
3. # determination of the component is not covered by NATA Accreditation.
4. ^ indicates result is out of specification according to the reference Guideline. Refer to Report footer.
5. * Indicates incident have been recorded against the sample. Refer to Report footer.
6. & Indicates the results have changed since the last issued report.
7. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
8. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
9. Where applicable Measurement of Uncertainty is available upon request

FINAL REPORT: 197507

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 196854

Analytical Results

Customer Sample Description	BIL connection point
Sampling Point	84513-Barossa Infrastructure Ltd - Fromms Square Williamstown
Sampled Date	13/01/2017 8:00:50AM
Sample Received Date	13/01/2017 8:00:51AM
Sample ID	2016-008-7697
Status	Endorsed
GuidelineType	ECOLI
Collection Type	AWQC Collected

Turbidity T0018-01 W09-023

Turbidity	0.1	20 NTU
-----------	-----	--------

Notes

1. The last figure of the result value is a significant figure.
2. Samples are analysed as received.
3. # determination of the component is not covered by NATA Accreditation.
4. ^ indicates result is out of specification according to the reference Guideline. Refer to Report footer.
5. * Indicates incident have been recorded against the sample. Refer to Report footer.
6. & Indicates the results have changed since the last issued report.
7. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
8. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
9. Where applicable Measurement of Uncertainty is available upon request

FINAL REPORT: 197507

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 196854

AWQC Signatories

Mira Banasiak - Supervisor Bacteriology

Dzung Bui - Supervisor Metals and Physical

Ivana Cech - Technical Officer Chemistry

Andrew Ford - Technical Officer Chemistry



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

1. The last figure of the result value is a significant figure.
2. Samples are analysed as received.
3. # determination of the component is not covered by NATA Accreditation.
4. ^ indicates result is out of specification according to the reference Guideline. Refer to Report footer.
5. * Indicates incident have been recorded against the sample. Refer to Report footer.
6. & Indicates the results have changed since the last issued report.
7. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
8. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
9. Where applicable Measurement of Uncertainty is available upon request

FINAL REPORT: 197507

This report shall not be reproduced, except in full without the written permission of the laboratory.

This report supercedes the following issued reports: 196854

Guidelines

ECOLI	Ecoli	Minimum Value	Maximum Value	Units
Guideline Version:2				
Health1				
110960, 110961, 110963, 110964, 120464, 120465, 120466, 120468, 120469, 122450 122436, 122437	E.coli	-	0	cfu/100mL
	E.coli/F Coliforms - Presumptive	-	0	cfu/100mL
Primary Contact				
110965, 110967, 110968, 110970, 110972, 120470, 120471, 120472, 120475, 120476 110969, 110971, 110973, 110974, 120473, 120474	E.coli	-	150	MPN/100mL
	Faecal coliforms	-	150	cfu/100mL

Analytical Method

Analytical Method Code	Description	Reference Method
T0109-01	Phosphorus - total by discrete analyser	APHA 4500-P F
T0112-01	Nitrogen- Total Kjeldahl by discrete analyser	APHA 4500-N org A
T0081-01	E.Coli - Membrane filtration	USEPA Method 1604/IH
TIC-004	Determination of Metals - ICP Spectrometry by ICP2	APHA 3120
TIC-006	Elemental Analysis By ICP- MS	EPA method 200.8
W-052	Preparation of Samples for Metal Analysis	APHA 3030A to 3030D
T0010-01	Determination of pH	APHA 4500-H B
T0016-01	Determination of Conductivity	APHA 2510 B
T0018-01	Turbidity - Nephelometric Measurement	APHA-AWWA-WEF
T0104-02	Chloride - Discrete Analyser	APHA 4500-Cl- E
T0161-01	Nitrate + Nitrate (NOx) - Automated Flow Colorimetry	APHA 4500-NO3-I

Sampling Method

Sampling Method Code	Description
W09-023	Sampling Method for Chemical Analyses
WMZ-500	Sampling Method for Microbiological Analyses

Laboratory Information

Laboratory	NATA accreditation ID
Inorganic Chemistry - Physical	1115
Inorganic Chemistry - Nutrients	1115
Bacteriology	1115
Inorganic Chemistry - Metals	1115



Corporate Accreditation
No.1115 Chemical and
Biological Testing
Accredited for compliance
with ISO/IEC 17025 -
Testing

Notes

1. The last figure of the result value is a significant figure.
2. Samples are analysed as received.
3. # determination of the component is not covered by NATA Accreditation.
4. ^ indicates result is out of specification according to the reference Guideline. Refer to Report footer.
5. * Indicates incident have been recorded against the sample. Refer to Report footer.
6. & Indicates the results have changed since the last issued report.
7. The Limit of Reporting (LOR) is the lowest concentration of analyte which is reported at the AWQC and is based on the LOQ rounded up to a more readily used value. The Limit of Quantitation (LOQ) is the lowest concentration of analyte for which quantitative results may be obtained within a specified degree of confidence.
8. Where collection type is AWQC Collect, NATA has confirmed that due to a robust system in place for maintaining the temperature integrity for samples collected by AWQC's Field Laboratory Services, the recording of temperature when samples arrive at the AWQC is out of scope.
9. Where applicable Measurement of Uncertainty is available upon request